


TAPER BORE PULLEYS



SPA

PART NO	dr	b ₂	BUSH NO	d ₃	d ₂ max	L	PULLEY CONFIGO NO	K	d ₁	d
67 X 1	67	20	1108	60	28	22	2			73.2
67 X 2	67	35	1108		28	22	6	13	37	73.2
71 X 1	71	20	1108	60	28	22	2			77.2
71 X 2	71	35	1108		28	22	6	13	40	77.2
71 X 3	71	50	1108		28	22	6	28	40	77.2
75 X 1	75	20	1108	60	28	22	2			81.2
75 X 2	75	35	1108		28	22	6	13	44	81.2
75 X 3	75	50	1108		28	22	6	28	44	81.2
80 X 1	80	20	1210	84	32	25	2			86.2
80 X 2	80	35	1210		32	25	6	10	50	86.2
80 X 3	80	50	1210		32	25	6	25	50	86.2
85 X 1	85	20	1210	88	32	25	2			91.2
85 X 2	85	35	1210		32	25	6	10	57	91.2
85 X 3	85	50	1210		32	25	6	25	55	91.2
90 X 1	90	20	1210	90	32	25	2			96.2
90 X 2	90	35	1610		42	25	6	10	60	96.2
90 X 3	90	50	1610		42	25	6	25	55.6	96.2
90 X 4	90	65	1615		42	38	6	27	55.6	96.2
90 X 5	90	80	1615		42	38	6	42	58	96.2
95 X 1	95	20	1210	90	32	25	2			101.2
95 X 2	95	35	1610		42	25	6	10	60.6	101.2
95 X 3	95	50	1610		42	25	6	25	60.6	101.2
95 X 4	95	65	1615		42	38	6	27	60.6	101.2
95 X 5	95	80	1615		42	38	6	42	63	101.2
100 X 1	100	20	1610	92	42	25	2			106.2
100 X 2	100	35	1610		42	25	6	10	65.6	106.2
100 X 3	100	50	1610		42	25	6	25	65.6	106.2
100 X 4	100	65	1615		42	38	6	27	65.6	106.2
100 X 5	100	80	1610		42	25	5	15	69	106.2
100 X 6	100	95	1610		42	25	5	30	69	106.2
106 X 1	106	20	1610	85	42	25	8	0	87.6	112.2


TAPER BORE PULLEYS



SPA

PART NO	dr	b ₂	BUSH NO	d ₃	d ₂ max	L	PULLEY CONFIG NO	K	d ₁	d
106 X 2	106	35	1610		42	25	6	10	71.6	112.2
106 X 3	106	50	1610		42	25	6	25	71.6	112.2
106 X 4	106	65	2012		50	32	6	33	72	112.2
106 X 5	106	80	2012		50	32	6	48	71	112.2
106 X 6	106	95	2012		50	32	6	63	71	112.2
112 X 1	112	20	1610	90	42	25	8	0	90.4	118.2
112 X 2	112	35	1610		42	25	6	10	77.6	118.2
112 X 3	112	50	2012		50	32	6	18	77.6	118.2
112 X 4	112	65	2012		50	32	6	33	77.6	118.2
112 X 5	112	80	2012		50	32	6	48	77	118.2
112 X 6	112	95	2012		50	32	6	63	77	118.2
118 X 1	118	20	1610	92	42	25	8	0	96.4	124.2
118 X 2	118	35	1610		42	25	6	10	83.6	124.2
118 X 3	118	50	2012		50	32	6	18	83.6	124.2
118 X 4	118	65	2012		50	32	6	33	83.6	124.2
118 X 5	118	80	2012		50	32	4	48	84	124.2
118 X 6	118	95	2012		50	32	6	63	84	124.2
125 X 1	125	20	1610	92	42	25	8	0	105.5	131.2
125 X 2	125	35	1610		42	25	4		90	131.2
125 X 3	125	50	2012		50	32	4		90.6	131.2
125 X 4	125	65	2012		50	32	4		90.6	131.2
125 X 5	125	80	2012		50	32	5	24	93	131.2
125 X 6	125	95	2012		50	32	5	31.5	90	131.2
132 X 1	132	20	1610	92	42	25	8	0	112.5	138.2
132 X 2	132	35	2012		50	32	4		96	138.2
132 X 3	132	50	2012		50	32	4		97.6	138.2
132 X 4	132	65	2517		60	45	4		97.6	138.2
132 X 5	132	80	2517		60	45	5	17.5	102	138.2
132 X 6	132	95	2517		60	45	5	25	102	138.2
140 X 1	140	20	1610	92	42	25	8	0	120.5	146.2
140 X 2	140	35	2012		50	35	1			146.2


TAPER BORE PULLEYS



SPA

PART NO	dr	b ₂	BUSH NO	d ₃	d ₂ max	L	PULLEY CONFIG NO	K	d ₁	d
140 X 3	140	50	2517		60	45	4		105.6	146.2
140 X 4	140	65	2517		60	45	4		105.6	146.2
140 X 5	140	80	2517		60	45	5	17.5	108	146.2
140 X 6	140	95	2517		60	45	5	25	105	146.2
150 X 1	150	20	1610	92	42	25	8	0	130.5	156.2
150 X 2	150	35	2012		50	35	1			156.2
150 X 3	150	50	2517		60	45	4		115.6	156.2
150 X 4	150	65	2517		60	45	4		115.6	156.2
150 X 5	150	80	2517		60	45	5	17.5	118	156.2
150 X 6	150	95	2517		60	45	5	25	115	156.2
160 X 1	160	20	1610	92	42	25	8	0	140.5	166.2
160 X 2	160	35	2012		50	35	1			166.2
160 X 3	160	50	2517		60	45	4		125.6	166.2
160 X 4	160	65	2517		60	45	4		125.6	166.2
160 X 5	160	80	2517		60	45	5	17.5	128	166.2
160 X 6	160	95	2517		60	45	5	25	125	166.2
170 X 1	170	20	1610	92	42	25	8	0	150.5	176.2
170 X 2	170	35	2012		50	35	1			176.2
170 X 3	170	50	2517		60	45	4		136.6	176.2
170 X 4	170	65	2517		60	45	4		136.6	176.2
170 X 5	170	80	2517		60	45	5	17.5	136	176.2
170 X 6	170	95	2517		60	45	5	25	135	176.2
180 X 1	180	20	1610	92	42	25	8	0	145.6	186.2
180 X 2	180	35	2012		50	35	1			186.2
180 X 3	180	50	2517		60	45	4		145.6	186.2
180 X 4	180	65	2517		60	45	4		145.6	186.2
180 X 5	180	80	3020		75	51	5	14.5	148	186.2
180 X 6	180	95	3020		75	51	5	22	145	186.2
190 X 1	190	20	1610	92	42	25	8	0	155.6	196.2
190 X 2	190	35	2012	105	50	35	7	0	155.6	196.2
190 X 3	190	50	2517		60	45	4		155.6	196.2


TAPER BORE PULLEYS



SPA

PART NO	dr	b ₂	BUSH NO	d ₃	d ₂ max	L	PULLEY CONFIG NO	K	d ₁	d
190 X 4	190	65	2517		60	45	4		155.6	196.2
190 X 5	190	80	3020		75	51	4		156	196.2
200 X 1	200	20	2012	105	50	32	8	0	165.6	206.2
200 X 2	200	35	2517	120	60	45	8	0	165.6	206.2
200 X 3	200	50	2517	120	60	45	7	0	165.6	206.2
200 X 4	200	65	3020		75	51	4		165.6	206.2
200 X 5	200	80	3020		75	51	5	14.5	168	206.2
200 X 6	200	95	3020		75	51	5	22	165	206.2
212 X 1	212	20	2012	105	50	32	8	0	178	218.2
212 X 2	212	35	2517	120	60	45	8	0	178	218.2
212 X 3	212	50	2517	120	60	45	7	2.5	178	218.2
212 X 4	212	65	3020		75	51	4		178	218.2
212 X 5	212	80	3020		75	51	4		178	218.2
212 X 6	212	95	3020		75	51	5	22	178	218.2
224 X 1	224	20	2012	105	50	32	8	0	190	230.2
224 X 2	224	35	2517	120	60	45	8	0	190	230.2
224 X 3	224	50	2517	120	60	45	7	2.5	190	230.2
224 X 4	224	65	3020		75	51	4		189.6	230.2
224 X 5	224	80	3020		75	51	4		189	230.2
224 X 6	224	95	3020		75	51	5	22	189	230.2
236 X 1	236	20	2012	105	50	32	8	0	202	242.2
236 X 2	236	35	2517	120	60	45	8	0	202	242.2
236 X 3	236	50	2517	120	60	45	7	2.5	202	242.2
236 X 4	236	65	3020	155	75	51	7	7	202	242.2
236 X 5	236	80	3020	155	75	51	7	14.5	202	242.2
236 X 6	236	95	3020	155	75	51	7	22	202	242.2
250 X 1	250	20	2012	105	50	32	8	0	216	256.2
250 X 2	250	35	2517	120	60	45	8	0	216	256.2
250 X 3	250	50	2517	120	60	45	7	2.5	216	256.2
250 X 4	250	65	3020	155	75	51	7	7	216	256.2
250 X 5	250	80	3020	155	75	51	7	14.5	215	256.2

TAPER BORE PULLEYS



SPA

PART NO	dr	b ₂	BUSH NO	d ₃	d ₂ max	L	PULLEY CONFIG NO	K	d ₁	d
250 X 6	250	95	3020	155	75	51	7	22	215	256.2
280 X 1	280	20	2012	105	50	32	8	0	245	286.2
280 X 2	280	35	2517	120	60	45	8	0	246	286.2
280 X 3	280	50	2517	120	60	45	7	2.5	246	286.2
280 X 4	280	65	3020	155	75	51	7	7	246	286.2
280 X 5	280	80	3535	175	90	89	7	0	245	286.2
280 X 6	280	95	3535	175	90	89	7	3	245	286.2
300 X 1	300	20	2012	105	50	32	8	0	265	306.2
300 X 2	300	35	2517	120	60	45	8	0	266	306.2
300 X 3	300	50	3020	155	75	51	8	0	266	306.2
300 X 4	300	65	3020	155	75	51	7	7	266	306.2
300 X 5	300	80	3535	175	90	89	8	0	265	306.2
300 X 6	300	95	3535	175	90	89	7	3	265	306.2
315 X 1	315	20	2012	105	50	32	8	0	284	321.2
315 X 2	315	35	2517	120	60	45	8	0	281	321.2
315 X 3	315	50	3020	155	75	51	8	0	281	321.2
315 X 4	315	65	3020	155	75	51	7	7	281	321.2
315 X 5	315	80	3535	175	90	89	8	0	280	321.2
315 X 6	315	95	3535	175	90	89	7	3	280	321.2
355 X 1	355	20	2012	105	50	32	10	0	320	361.2
355 X 2	355	35	2517	120	60	45	10	0	320	361.2
355 X 3	355	50	3020	155	75	51	10	0	320	361.2
355 X 4	355	65	3020	155	75	51	9	7	320	361.2
355 X 5	355	80	3535	175	90	89	10	0	320	361.2
355 X 6	355	95	3535	175	90	89	9	3	320	361.2
400 X 1	400	20	2012	105	50	32	10	0	365	406.2
400 X 2	400	35	2517	120	60	45	10	0	365	406.2
400 X 3	400	50	3020	155	75	51	10	0	365	406.2
400 X 4	400	65	3020	155	75	51	9	7	365	406.2
400 X 5	400	80	3535	175	90	89	10	0	365	406.2
400 X 6	400	95	3535	175	90	89	9	3	365	406.2

[illegible]